

IRON & STEEL PRODUCTS

Mild Steel :

Deformed Bars :

SPECIFICATION:

- Corrosion resistant
- Good ductility
- Earthquake resistant
- Resistance to loss of strength at higher temperature

Grades : FE 400, FE 500

Sizes available : 6mm to 32mm



Angles :

SPECIFICATION:

- Long performing life
- Resistivity against corrosion
- High tensile strength
- Made from structural material

Sizes Available:

- 25 x 25 x 3 mm to 150 x 150 x 10 mm
- 65 X 40mm to 200 X 150mm



Flat Bars :

SPECIFICATION:


- High tensile strength
- Corrosion resistance
- Excellent mechanical properties
- Width: 40, 50, 60, 75, 100, 150mm
- Thickness varying from 3mm to 6mm



Pipes :

SPECIFICATION:

Size: 1/2", 3/4", 1", 1 1/4",
1 1/2", 2", 2 1/2", 3", 4" .
With different Thickness



Sheets and Plates :

SPECIFICATION:

Size: 8Ft X 4Ft X 0.5mm, 0.8mm,
1mm, 1.5mm 1.8mm, 3mm, 4mm,
5mm, 6mm, 8mm, 10mm
12mm, 18mm, 20mm, 25mm



Round Bars

SPECIFICATION:

- Corrosion resistant
- Good ductility
- Earthquake resistant
- Resistance to loss of strength at higher temperature
- Sizes available: 6mm & 8mm



Fittings

SPECIFICATION:

Complete range of fittings



Stainless Steel

Angles :

SPECIFICATION:

Grade: 201, 202, 304, and 316

Size: various: Length - Subject to Customer's requirement




Flat Bars :

SPECIFICATION:

Grade: 201, 202, 304, 316

Size: various Length - Subject to Customer's requirement



Pipes :

SPECIFICATION:

Grade: 201, 202, 304, 316

Size: various: Length - Subject to Customer's requirement



Sheets & Plates :

SPECIFICATION:

Grade: 201, 202, 304, 316

Sizes: 8 x 4 or custom cut sizes

Thickness: 3mm-10mm Thick



Fittings :

SPECIFICATION:

Grade: 201, 202, 304, 316

Complete range of fittings



Galvanised Steel

Angles :

SPECIFICATION:


Galvanised Angles and Bars

Long performing life

High tensile strength

Made from structural material

Sizes Available: 25 x 25 x 3 mm to 150 x 150 x 10 mm
65 X 40 to 200 X 150mm




Flat Bars :

SPECIFICATION:

Galvanised Flat Bars Used for fixing the roofs in Prefab Buildings. For Fabrication of ships and barges.

Width : 40, 50, 60 75, 100, 25

Thickness varying from 3mm - 16mm



Pipes :

SPECIFICATION:

Galvanised Pipes

Variety : Butt Welded and Seamless Pipes

Sizes Available : 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4"

Thickness : 1.5mm - 7mm



Sheets & Plates :

SPECIFICATION:

Galvanised Sheets & Plates :

Used for ship and barge building

Sizes : 8 x 4 or custom cut sizes

Thickness : 3mm-10mm Thick

Galvanised Steel Fittings :

SPECIFICATION:

Complete range of fittings



Aluminium


Angles :

SPECIFICATION:

High tensile strength

Usage : For Cabin Partition, Prefab Houses construction etc

Sizes Available: 25 x 25 x 3 mm to 150 x 150 x 10 mm 65 X 40 to 200 X 150mm



Sheets and Plates :

SPECIFICATION:

Used for Doors and Windows

Sizes : 8 x 4 or custom cut sizes

Thickness : 3mm, 5mm and 8mm Thick



Binding Wires

Binding Wire :

SPECIFICATION:

Wires used for Fencing purpose in the Sea Shores and building compound for protection



Wire Nails :

SPECIFICATION:

For Nailing Plywood's and etc

Sizes : 1/2" - 3"



Fasteners

SPECIFICATION

- Stud Bolts
- Hex Bolts
- Square Bolts
- Hex Nuts
- T-Head Bolts
- Friction Grip Bolts
- Structural Bolts
- U-Bolts
- J-Bolts
- Tie Bolts
- Eye Bolts
- Foundation Bolts
- As per drawing and customers specifications

